

PONDICHERRY UNIVERSITY
ENGINEERING WING

SCHEDULE OF WORK

Name of the work: Replacement of steel window with aluminium sliding windows at Dept. of Food science and Technology building

S. No.	Description	Qty.	Rate Rs.P.	Unit	Amount Rs.P.
1 15.1 2.1	Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc.complete and stacking within 50 metres lead- of area 3 sqm and below	5.00		each	
2 21.1. 1.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections / appropriate Z sections and other sections of approved make conforming toIS:733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions ,i.e at top, bottom and sides with required EPDM rubber / neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, aluminium snap beading forglazing / paneling , C.P.brass / stainlesssteel screws , all complete as per architectural drawings (Glazing, panelling and dash fasteners to be paid for separately) - for fixed portion – anodized aluminium (anodised transparent or dyed to required shade according to IS:1868,Minimum anodic coating of grade AC 15)	33.00		kg	
21.1. 2.1	Providing and fixing aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections / appropriate Z sections and other sections of approved make conforming toIS:733 and IS: 1285, fixing with dash fasteners of required dia and size, Including necessary filling up the gaps at junctions , i.e at top, bottom and sides with required EPDM rubber / neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically	25.00		kg	

	wherever required including cleat angle, aluminium snap beading for glazing / paneling , C.P.brass / stainless steel screws , all complete as per architectural drawings (Glazing, panelling and dash fasteners to be paid for separately) - for shutters of doors, windows & ventilators including providing and fixing hinges / pivots and making provision for fixing of fittings wherever required including the cost of EPDM rubber/ neoprene gasket required (fittings shall be paid for separately) – Anodised aluminium (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC15)				
3 21.3. 2	Providing and fixing glazing in aluminium door, window , ventilator shutters and partitions etc. with EPDM rubber / eoprenegasket etc. complete as per the architectural drawings (cost of aluminium snap beading shall be paid in basic item) -with float glass panes of 5.50 mm thickness	13.00		sqm	
4 21.1 7.1	Providing and fixing PVC switch lock of 100mm length for aluminium sliding windows	15.00		each	
5 9.83	Providing and fixing aluminium die cast body tubular type universal hydraulic door closer (having brand logo with ISI , IS:3564 , embossed on the body , door weight upto 35 kg and door width upto 700 mm),with necessary accessories and screws etc. complete	5.00		each	
	TOTAL				

Terms & Conditions:

- i) The rates specified are firm and not subject to any variation.
- ii) The work should be completed within 30 days.
- iii) Payment will be made only after completion of the entire work.
- iv) The material should be got approved before commencement of work.
- v) The rate specified should be inclusive of GST.

Contractor

Executive Engineer