

1126
29 06 20

No. 9212/PPCC/BMW/AUTHO/JSA(PPCC)/2020/287
GOVERNMENT OF PUDUCHERRY
DEPARTMENT OF SCIENCE, TECHNOLOGY & ENVIRONMENT
PUDUCHERRY POLLUTION CONTROL COMMITTEE
III FLOOR, PHB BUILDING, ANNA NAGAR, PUDUCHERRY - 605 005
PH: 2201256 / 2203494: FAX: (0413) 2203494

FORM -III
(See rule 10)

Puducherry, the
19 JUN 2020

(Grant of Authorisation for operating a facility for generation, segregation, storage and disposal of bio-medical wastes)

1. Authorisation is accorded to M/s. Pondicherry University, Kalapet, Puducherry for generation, segregation, storage, collection and disposal of Bio-Medical waste as per the capacity given below:

Sl. No.	Category	Type of Waste	Quantity (kgs/day)
1.	Yellow	Human Anatomical Waste, Soiledwaste, chemical solid and liquid waste and microbiology, biotechnology and other clinical laboratory waste	6.0
2.	Red	Contaminated waste (Recyclable)	2.0
3.	White	Waste sharps including metals	0.5
4.	Blue	Glasswares, metallic body implants	0.5


- This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.
- Bio-Medical waste shall not be stored in the premises beyond 48 hours as per Rule 8(7).
- The authorised person shall submit an Annual Report to the prescribed authority in Form - IV by 30th June every year.
- The authorised person shall submit Report on Accident, if any, to the prescribed authority in Form - I.
- (a)The Bio-Medical waste should be collected in different colour bags as per the Schedule-I (See rules 3 (e), 4(b), 7(1), 7(2), 7(5), 7 (6) and 8(2)).
(b)The Label for Bio-Medical Waste container / Bags should be maintained as per Schedule-III (See rule 8 (3) (5)).
- Pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilisation on-site in the manner as prescribed by the World Health Organisation(WHO) or National AIDs Control Organisation (NACO) guidelines and then sent to the Common Bio-medical Waste Treatment Facility for final disposal.
- Provide training to all its health care workers and others, involved in handling of bio medical waste at the time of induction and thereafter at least once every year and the details of training programmes conducted, number of personnel trained and number of personnel not undergone any training shall be provided in the Annual Report;
- Immunise all its health care workers and others, involved in handling of bio-medical waste for protection against diseases.
- Ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralisation prior to mixing with other effluent generated from health care facilities;

11. Ensure treatment and disposal of liquid waste in accordance with the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974);
12. **Conduct health check up** at the time of induction and at least once in a year for all its health care workers and others involved in handling of bio- medical waste and maintain the records for the same;
13. **Maintain and update on day to day basis the bio-medical waste management register** and display the monthly record on its website according to the bio-medical waste generated in terms of category and colour coding as specified in Schedule I;
14. **Inform the Prescribed Authority** immediately in case the operator of a facility does not collect the bio-medical waste within the intended time or as per the agreed time;
15. **Establish a system to review and monitor** the activities related to bio-medical waste management.

Terms and conditions of authorisation

16. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
17. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
18. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
19. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
20. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
21. For hot water and other requirements install Solar Water Heater in a phased manner within one year. Install Rain Water Harvesting structures to recharge Ground water.
22. Switchover to Energy Efficient lightings and also for the heating and cooling requirements

For and on behalf of PPCC,


(SMITHA. R IAS)
MEMBER SECRETARY (PPCC)

To
✓ The Registrar,
M/s. Pondicherry University,
Kalapet,
Puducherry – 605 014.

Copy to: Guard file.