

**PONDICHERRY UNIVERSITY**  
**ENGINEERING WING**

**SCHEDULE OF WORK**

*Name of the work:* Providing and laying floor tiles, and internal wall painting at the erstwhile Computer Centre on the first floor of the administrative building for the temporary accommodation of Vice chancellor' Chamber and Secretariat

<b>S. No.</b>	<b>Description</b>	<b>Qty.</b>	<b>Rate Rs.P.</b>	<b>Unit</b>	<b>Amount Rs.P.</b>
1.	Providing and laying vitrified floor tiles of size 600 x600 mm (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622 of approved make , in all colors and shades and fixing glazed/ ceramic/ vitrified floor tiles with cement based high polymer modified quick- set tile adhesive ( water based) conforming to IS: 15477, in average 3mm thickness – (using 5 kg adhesive per sqm of tile area ) including grouting the joints with white cement and matching pigments , etc., complete - size of tile600x600mm	185.00		Sqm	
2.	Removing white or colour wash by scrapping and sand papering and preparing the surface smooth including necessary repairs to scratches etc., complete	190.00		Sqm	
3.	Applying priming coats with primer of approved brand and manufacture, having low VOC (Volatile Organic Compound ) content - with water thinnable cement primer on wall surface having VOC content less than 50 grams / litre	190.00		Sqm	
4.	Wall painting with acrylic emulsion paint, having VOC (Volatile Organic Compound) content less than 50 grams / litre , of approved brand and manufacturer, including applying additional coats wherever required, to achive even shade and colour - Two coats	190.00		Sqm	
5.	Providing and applying plaster of paris putty of 2mm thickness over plastered surface to prepare the surface even and smooth complete	30.00		Sqm	
6.	Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade- One or more coats on old work	72.00		Sqm	
	<b>Total</b>				

I hereby abide the rules and regulations stipulated in the CPWD form no. 6 & 8.

**Contractor**

**-sd-**  
**Head(C&E)**